


CL TRACKER™ TE

TRACK & TRACE SOLUTION
FOR CARTON-LABELING MACHINES



OPTEL GROUP's Fast Series products are preconfigured to enable existing pharmaceutical packaging lines to meet compliance, fast. They are the perfect solution to meet tight regulation deadlines — plus, they are easy to operate and require only minimal training. To offer products delivered in matter of weeks, we have expanded our production facilities and developed a streamlined, dedicated manufacturing process specifically for **Fast Series** units.

The **CLTracker™ TE** handles the printing and verification of each carton and ensures accurate serialization identification. The CLTracker TE was developed to be installed in any tamper-evident carton-labeling unit. Select the unit that best fits your line requirements, and we will integrate the CLTracker TE into it.

The **CLTracker TE** also automatically manages serial number status. If a carton is ejected due to a defect in the tamper-evident feature, the CLTracker TE will automatically change the status of the serial number.

The **CLTracker TE** is part of OPTEL's open architecture, which greatly facilitates connectivity to various IT systems or other third-party equipment.

INDUSTRIES



PHARMA



MEDICAL DEVICES



OTHER



BENEFITS

- Easy to install and operate
- Minimal training required
- Simple user interface
- Serialized and non-serialized capability

KEY FEATURES

- Complete reporting tool to LineMaster™
- Up to 400 cartons per minute
- Automatic serial number status management
- 21 CFR Part 11 and European Annex 11 compliance

OPTEL's **Fast Series** is also designed to be scalable, which will allow you to build on these units in the future, as your serialization operations expand. We understand that modifying your process can be challenging and, to overcome this challenge, we've leveraged all the experience and expertise that comes with 27 years and thousands of successful serialization integration projects around the world.

Our **Fast Series** incorporates all this know-how to provide you with all the necessary features to scale up your serialized production and therefore maintain and generate additional revenues when you're ready.

The **CLTracker TE** is part of OPTEL's Fast Series, and each product includes hardware and software, IQ/OQ documentation, operator manual, integration and on-site training.



PERFORMANCE

PRODUCTION RATE	Up to 400 cartons/min
-----------------	-----------------------

PRINTING SPECIFICATIONS

PRINT AREA	12 mm per print head
PRINT TECHNOLOGY	Thermal inkjet
PRINT LOCATION	Rear / Front
PRINT RESOLUTION	Up to 600 DPI

VISION SPECIFICATIONS

FIELD OF VIEW	85 mm x 45 mm
DATA MATRIX MODULE SIZE	from 0.25 mm
HUMAN-READABLE CHARACTER HEIGHT	from 1.3 mm
LINEAR BARCODE LINE WIDTH	from 0.15 mm

INSPECTION SPECIFICATIONS

VISION INSPECTION	1D, 2D, OCV/OCR, barcode grading
INSPECTION LOCATION	Rear / Front

UTILITIES

CONVEYOR HEIGHT	914 mm ± 50 mm (36" ± 2")
EJECTION TYPE	Pneumatic
POWER REQUIREMENTS	110-120 V 50-60 Hz 220-240 V 50-60 Hz
COMPRESSED AIR	4 – 6 bar (60-90 PSI)
UPS BATTERY BACKUP	
DELIVERY TIME	20 weeks

The figures above illustrate an example of a typical installation. OPTEL has a wide range of solutions to fit the particularities of your specific packaging lines. Contact us for details.

Other modules and options are also available; contact your Regional Sales Representative for more information. Find the location closest to you at: optelgroup.com

BASIC FUNCTIONS

DESIGNED FOR	Cartons
PERFORMS	Serialization
REQUIRES	No operator, fully automated unit



OPTEL is proud to be a **Certified B Corporation**, a group of companies that redefines success in business and strives to not only be the best *in* the world, but also the best *for* the world.

NORTH AMERICA

OPTEL Canada — HEADQUARTERS
+1 418 688 0334

NORTH AMERICA

OPTEL USA
+1 763 235 1400

EUROPE

OPTEL Ireland
+353 61480965

ASIA

OPTEL India
+91 832 669 9600

SOUTH AMERICA

OPTEL Brazil
+55 19 3113 2570

optelgroup.com

© 2018 by OPTEL GROUP.
All rights reserved.